WEST VIRGINIA LEGISLATURE

2018 REGULAR SESSION

Committee Substitute

for

House Bill 4336

BY DELEGATES ELLINGTON, SUMMERS, ROHRBACH,
HOUSEHOLDER, ATKINSON, CRISS, HOLLEN, HILL,
ROWAN, DEAN AND COOPER

[Originating in the House Committee on the Judiciary;

Reported on February 23, 2018.]

- A BILL to amend and reenact §60A-2-204, §60A-2-206, §60A-2-210 and §60A-2-212 of the Code of West Virginia, 1931, as amended, all relating to updating the schedule of controlled substances.
 - Be it enacted by the Legislature of West Virginia:

ARTICLE 2. STANDARDS AND SCHEDULES.

§60A-2-204. Schedule I.

1

2

3

4

5

6

7

8

9

- (a) Schedule I shall consist of the drugs and other substances, by whatever official name, common or usual name, chemical name, or brand name designated, listed in this section <u>including</u> their isomers, esters, ethers, salts and salts of isomers, esters and ethers, whenever the existence of such isomers, esters, ethers and salts is possible within the specific chemical designation.
 - (b) Opiates. Unless specifically excepted or unless listed in another schedule, any of the following opiates, including their isomers, esters, ethers, salts and salts of isomers, esters and ethers, whenever the existence of such isomers, esters, ethers and salts is possible within the specific chemical designation (for purposes of subdivision (34) of this subsection only, the term isomer includes the optical and geometric isomers):
- 10 (1) Acetyl-alpha-methylfentanyl (N-[1-(1-methyl-2-phenethyl) -4-piperidinyl]—
 11 phenylacetamide);
- 12 (2) Acetylmethadol;
- 13 (3) Allylprodine;
- 14 (4) Alphacetylmethadol (except levoalphacetylmethadol also known as levo-alpha-15 acetylmethadol, levomethadyl acetate, or LAAM);
- 16 (5) Alphameprodine;
- 17 (6) Alphamethadol;
- 18 (7) Alpha-methylfentanyl (N-[1-(alpha-methyl-beta-phenyl) ethyl-4-piperidyl]
 19 propionanilide; 1-(1-methyl-2-phenylethyl)-4-(– propanilido) piperidine);

```
20
             <del>(8)</del>
                   Alpha-methylthiofentanyl
                                                (N-[1-methyl-2-(2-thienyl)
                                                                            ethyl-
                                                                                     4-piperidinyl]—
      phenylpropanamide);
21
22
             (9) Benzethidine;
23
             (10) Betacetylmethadol;
24
                     Beta-hydroxyfentanyl
                                              (N-[1-(2-hydroxy-2-phenethyl)
                                                                                      piperidinyl]-N-
             (11)
                                                                               -4-
25
      phenylpropanamide);
26
             (12) Beta-hydroxy-3-methylfentanyl (other name: N-[1-(2- hydroxy-2-phenethyl)-3-methyl-
27
      4-piperidinyl]-N-phenylpropanamide);
28
             (13) Betameprodine;
29
             (14) Betamethadol;
30
             (15) Betaprodine;
31
             (16) Clonitazene;
32
             (17) Dextromoramide;
33
             (18) Diampromide;
34
             (19) Diethylthiambutene;
35
             (20) Difenoxin;
36
             (21) Dimenoxadol;
37
             (22) Dimepheptanol;
38
             (23) Dimethylthiambutene;
39
             (24) Dioxaphetyl butyrate;
40
             (25) Dipipanone;
41
             (26) Ethylmethylthiambutene;
42
             (27) Etonitazene;
43
             (28) Etoxeridine;
44
             (29) Furethidine;
             (30) Hydroxypethidine;
45
```

```
46
             (31) Ketobemidone;
47
             (32) Levomoramide;
48
             (33) Levophenacylmorphan;
49
             (34) 3-Methylfentanyl (N-[3-methyl-1-(2-phenylethyl)-4- piperidyl]-N-phenylpropanamide);
50
             (35)
                     3-methylthiofentanyl
                                             (N-[3-methyl-1-(2-thienyl)
                                                                          ethyl-4-
                                                                                      piperidinyl]—
51
      phenylpropanamide);
52
             (36) Morpheridine;
53
             (37) MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);
54
             (38) Noracymethadol;
             (39) Norlevorphanol;
55
             (40) Normethadone;
56
57
             (41) Norpipanone;
58
                     Para-fluorofentanyl
                                            (N-(4-fluorophenyl)-N-[1-(2-
             (42)
                                                                           phenethyl)-4-piperidinyl]
59
      propanamide);
60
             (43) PEPAP(1-(-2-phenethyl)-4-phenyl-4-acetoxypiperidine);
61
             (44) Phenadoxone;
62
             (45) Phenampromide;
63
             (46) Phenomorphan;
             (47) Phenoperidine;
64
65
             (48) Piritramide;
66
             (49) Proheptazine;
67
             (50) Properidine:
68
             (51) Propiram;
69
             (52) Racemoramide;
             (53) Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4- piperidinyl]-propanamide);
70
71
             (54) Tilidine;
```

72	(55) Trimeperidine.
73	(c) Opium derivatives: — Unless specifically excepted or unless listed in another schedule,
74	any of the following opium immediate derivatives, its salts, isomers and salts of isomers whenever
75	the existence of such salts, isomers and salts of isomers is possible within the specific chemical
76	designation:
77	(1) Acetorphine;
78	(2) Acetyldihydrocodeine;
79	(3) Benzylmorphine;
80	(4) Codeine methylbromide;
81	(5) Codeine-N-Oxide;
82	(6) Cyprenorphine;
83	(7) Desomorphine;
84	(8) Dihydromorphine;
85	(9) Drotebanol;
86	(10) Etorphine (except HCl Salt);
87	(11) Heroin;
88	(12) Hydromorphinol;
89	(13) Methyldesorphine;
90	(14) Methyldihydromorphine;
91	(15) Morphine methylbromide;
92	(16) Morphine methylsulfonate;
93	(17) Morphine-N-Oxide;
94	(18) Myrophine;
95	(19) Nicocodeine;
96	(20) Nicomorphine;
97	(21) Normorphine;

98	(22) Pholcodine;
99	(23) Thebacon.
100	(d) Hallucinogenic substances. — Unless specifically excepted or unless listed in another
101	schedule, any material, compound, mixture or preparation, which contains any quantity of the
102	following hallucinogenic substances, or which contains any of its salts, isomers and salts of
103	isomers, whenever the existence of such salts, isomers, and salts of isomers is possible within
104	the specific chemical designation (for purposes of this subsection only, the term "isomer" includes
105	the optical, position and geometric isomers):
106	(1) Alpha-ethyltryptamine; some trade or other names: etryptamine; Monase; alpha-ethy-
107	1H-indole-3-ethanamine; 3-(2- aminobutyl) indole; alpha-ET; and AET;
108	(2) 4-bromo-2, 5-dimethoxy-amphetamine; some trade or other names: 4-bromo-2,5-
109	dimethoxy-alpha-methylphenethylamine; 4-bromo- 2,5-DMA;
110	(3) 4-Bromo-2,5-dimethoxyphenethylamine; some trade or other names: 2-(4-bromo-2,5-
111	dimethoxyphenyl)-1-aminoethane; alpha- desmethyl DOB; 2C-B, Nexus;
112	(4)(A) N-(2-Methoxybenzyl)-4-bromo-2, 5-dimethoxyphenethylamine. The substance has
113	the acronym 25B-NBOMe.
114	(B) 2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl) ethanamine (25C-NBOMe)
115	(C) 2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl) ethanamine (25I-NBOMe)
116	(5) 2,5-dimethoxyamphetamine; some trade or other names: 2,5-dimethoxy-alpha-
117	methylphenethylamine; 2,5-DMA;
118	(6) 2,5-dimethoxy-4-ethylamphet-amine; some trade or other names: DOET;
119	(7) 2,5-dimethoxy-4-(n)-propylthiophenethylamine (other name: 2C-T-7);
120	(8) 4-methoxyamphetamine; some trade or other names: 4-methoxy-alpha-
121	methylphenethylamine; paramethoxyamphetamine; PMA;
122	(9) 5-methoxy-3, 4-methylenedioxy-amphetamine;

123 (10) 4-methyl-2,5-dimethoxy-amphetamine; some trade and other names: 4-methyl-2,5-124 dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP"; 125 (11) 3.4-methylenedioxy amphetamine: 126 (12) 3,4-methylenedioxymethamphetamine (MDMA); 127 (13) 3,4-methylenedioxy-N-ethylamphetamine (also known as - ethyl-alpha-methyl-3,4 128 (methylenedioxy) phenethylamine, N-ethyl MDA, MDE, MDEA); 129 (14) N-hydroxy-3,4-methylenedioxyamphetamine (also known as - hydroxy-alpha-methyl-130 3.4 (methylenedioxy) phenethylamine, and – hydroxy MDA): 131 (15) 3,4,5-trimethoxy amphetamine; 132 (15) (16) 5-methoxy-N,N-dimethyltryptamine (5-MeO-DMT); 133 (17) Alpha-methyltryptamine (other name: AMT); 134 (18) Bufotenine; some trade and other names: 3-(beta-Dimethylaminoethyl)-5-135 hydroxyindole:3-(2-dimethylaminoethyl) -5-indolol: N. N-dimethylserotonin: 5-hydroxy-N.N-136 dimethyltryptamine; mappine; 137 (19) Diethyltryptamine; sometrade and other names: N, N-Diethyltryptamine; DET; 138 (20) Dimethyltryptamine; some trade or other names: DMT; 139 (21) 5-Methoxy-N,N-diisopropyltryptamine (5-MeO-DIPT); 140 (22) Ibogaine; some trade and other names: 7-Ethyl-6, 6 Beta, 7, 8, 9, 10, 12, 13octahydro-2-methoxy-6, 9-methano-5H- pyrido [1', 2': 1, 2] azepino [5,4-b] indole; Tabernanthe 141 142 iboga; 143 (23) Lysergic acid diethylamide; 144 (24) Marihuana; 145 (25) Mescaline: 146 (26) Parahexyl-7374; some trade or other names: 3-Hexyl -1-hydroxy-7, 8, 9, 10-147 tetrahydro-6, 6, 9-trimethyl-6H-dibenzo [b,d] pyran; Synhexyl;

148	(27) Peyote; meaning all parts of the plant presently classified botanically as Lophophora
149	williamsii Lemaire, whether growing or not, the seeds thereof, any extract from any part of such
150	plant, and every compound, manufacture, salts, immediate derivative, mixture or preparation of
151	such plant, its seeds or extracts;
152	(28) N-ethyl-3-piperidyl benzilate;
153	(29) N-methyl-3-piperidyl benzilate;
154	(30) Psilocybin;
155	(31) Psilocyn;
156	(32) Tetrahydrocannabinols; synthetic equivalents of the substances contained in the
157	plant, or in the resinous extractives of Cannabis, sp. and/or synthetic substances, immediate
158	derivatives and their isomers with similar chemical structure and pharmacological activity such as
159	the following:
160	delta-1 Cis or trans tetrahydrocannabinol, and their optical isomers;
161	delta-6 Cis or trans tetrahydrocannabinol, and their optical isomers;
162	delta-3,4 Cis or trans tetrahydrocannabinol, and its optical isomers;
163	(Since nomenclature of these substances is not internationally standardized, compounds
164	of these structures, regardless of numerical designation of atomic positions covered.)
165	(33) Ethylamine analog of phencyclidine; some trade or other names: N-ethyl-1-
166	phenylcyclohexylamine, (1-phenylcyclohexyl) ethylamine, N-(1-phenylcyclohexyl) ethylamine,
167	cyclohexamine, PCE;
168	(34) Pyrrolidine analog of phencyclidine; some trade or other names: 1-(1-
169	phenylcyclohexyl)-pyrrolidine, PCPy, PHP;
170	(35) Thiophene analog of phencyclidine; some trade or other names: 1-[1-(2-thienyl)-
171	cyclohexyl]-piperidine, 2-thienylanalog of phencyclidine; TPCP, TCP;
172	(36) 1[1-(2-thienyl)cyclohexyl]pyrroldine; some other names: TCPy.
173	(37) 4-methylmethcathinone (Menhedrone):

```
174
              (38) 3,4-methylenedioxypyrovalerone (MDPV);
175
              (39) 2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine (2C-E);
176
              (40) 2-(2,5-Dimethoxy-4-methylphenyl)ethanamine (2C-D)
177
              (41) 2-(4-Chloro-2,5-dimethoxyphenyl)ethanamine (2C-C)
178
              (42) 2-(4-lodo-2.5-dimethoxyphenyl)ethanamine (2C-I)
179
              (43) 2-[4-(Ethylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-2)
180
              (44) 2-[4-(Isopropylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-4)
181
              (45) 2-(2,5-Dimethoxyphenyl)ethanamine (2C-H)
182
              (46) 2-(2,5-Dimethoxy-4-nitro-phenyl)ethanamine (2C-N)
183
              (47) 2-(2,5-Dimethoxy-4-(n)-propylphenyl)ethanamine (2C-P)
184
              (48) 3,4-Methylenedioxy-N-methylcathinone (Methylone)
185
              (49) 2,5-dimethoxy-4-(n)-propyltghiophenethylamine (2C-T-7, itsoptical isomers, salts and
186
       salts of isomers
187
              (50) 5-methoxy-N,N-dimethyltryptamine some trade or other names: 5-methoxy-3-[2-
188
       (dimethylamino)ethyl]indole; 5-MeO-DMT(5-MeO-DMT)
189
              (51) Alpha-methyltryptamine (other name: AMT)
190
              (52) 5-methoxy-N,N-diisopropyltryptamine (other name: 5-MeO-DIPT)
191
              (53) Synthetic Cannabinoids as follows:
              (A) 2-[(1R,3S)-3-hydroxycyclohexyl]-5- (2-methyloctan-2-yl)phenol) {also known as CP
192
193
       47,497 and homologues):
              (B) rel-2-[(1S,3R)-3-hydroxycyclohexyl] -5-(2-methylnonan-2-yl)phenol {also known as CP
194
195
       47,497-C8 homolog);
196
                                                  6-dimethyl-3-(2-methyloctan-2-yl)-6a,
                                                                                          7,10,10a-
              <del>(C)</del>
                    [(6aR)-9-(hydroxymethyl)-6,
197
       tetrahydrobenzo[c]chromen-1-ol)] {also known as HU-210};
198
              (D) (dexanabinol);
```

```
199
              (6a S.10a S)-9-(hydroxymethyl)-6.6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-
200
       tetrahydrobenzol[c]chromen-1-ol) {also known as HU-211};
201
              (E) 1-Pentyl-3-(1-naphthoyl)indole {also known as JWH-018};
202
              (F) 1-Butyl-3-(1-naphthoyl)indole {also known as JWH-073};
203
              (G) (2-methyl-1-propyl-1H-indol-3-yl)-1-napthalenyl-methanone {also known as JWH-
204
       015};
205
              (H) (1-hexyl-1H-indol-3-yl)-1-naphthalenyl-methanone {also known as JWH-019};
206
              (+) [1-[2-(4-morpholinyl) ethyl] -1H-indol-3-yl]-1-naphthalenyl-methanone {also known as
207
       JWH-200};
208
              (J) 1-(1-pentyl-1H-indol-3-yl)-2-(3-hydroxyphenyl)-ethanone {also known as JWH-250};
209
              <del>(K)</del>
                    2-((1S.2S.5S)-5-hvdroxy-2-
                                                 (3-hydroxtpropyl)cyclohexyl)
                                                                               -5-(2-methyloctan-2-
210
       yl)phenol {also known as CP 55,940};
211
              (4-methyl-1-naphthalenyl) (1-pentyl-1H-indol-3-yl) -methanone {also known as JWH-
212
              122};
213
              (M) (4-methyl-1-naphthalenyl) (1-pentyl-1H-indol-3-yl) -methanone {also known as JWH-
214
              398;
215
              (N) (4-methoxyphenyl)(1-pentyl-1H-indol-3-yl)methanone {also known as RCS-4};
216
              (O) 1-(1-(2-cyclohexylethyl) -1H-indol-3-yl) -2-(2-methoxyphenyl) ethanone {also known
217
       as RCS-8};
218
              (P) 1-pentyl-3-[1-(4-methoxynaphthoyl)]indole (JWH-081):
219
              (Q) 1-(5-fluoropentyl)-3-(1-naphthoyl)indole (AM2201); and
220
              (R) 1-(5-fluoropentyl)-3-(2-iodobenzoyl)indole (AM694).
221
              (54) Synthetic cannabinoids: or any material, compound, mixture or preparation which
222
       contains any quantity of the following substances, including their analogues, congeners,
223
       homologues, isomers, salts and salts of analogues, congeners, homologues and isomers, as
224
       follows:
```

225	(A) CP 47,497 AND homologues, 2-[(1R,3S)-3-Hydroxycyclohexyl]-5-(2-methyloctan-2-
226	YL)phenol);
227	(B) HU-210, [(6AR,10AR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-Methyloctan-2-YL)-
228	6A,7,10, 10A-tetrahydrobenzo[C] chromen-1-OL)];
229	(C) HU-211, (dexanabinol, (6AS,10AS)-9-(hydroxymethyl)-6,6-Dimethyl-3-(2-
230	methyloctan-2-YL)-6A,7,10,10atetrahydrobenzo[C]chromen-1-OL);
231	(D) JWH-018, 1-pentyl-3-(1-naphthoyl)indole;
232	(E) JWH-019, 1-hexyl-3-(1-naphthoyl)indole;
233	(F) JWH-073, 1-butyl-3-(1-naphthoyl)indole;
234	(G) JWH-200, (1-(2-morpholin-4-ylethyl)indol-3-yl)- Naphthalen-1-ylmethanone;
235	(H) JWH-250, 1-pentyl-3-(2-methoxyphenylacetyl)indole.]
236	Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate (5F-
237	ADB);
238	Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3-methylbutanoate (5F-AMB);
239	Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3-methylbutanoate (FUB-
240	AMB);
241	N-(adamantan-1-yl)-1-(5-fluoropentyl)-1H-indazole-3-carboxamide (5F-APINACA):
242	N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(4-fluorobenzyl)-1H-indazole-3-carboxamide
243	(ADB-FUBINACA);
244	Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate
245	(MDMB-CHMICA);
246	Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate
247	(MDMB-FUBINACA);
248	(55) Synthetic cannabinoids including any material, compound, mixture or preparation that
249	is not listed as a controlled substance in Schedule I through V, is not a federal Food and Drug
250	Administration approved drug or used within logitimate and approved medical research and which

276

47700);

251	contains any quantity of the following substances, their salts, isomers, whether optical positional
252	or geometric, analogues, homologues and salts of isomers, analogues and homologues, unless
253	specifically exempted, whenever the existence of these salts, isomers, analogues, homologues
254	and salts of isomers, analogues and homologues if possible within the specific chemical
255	designation:
256	(A) Tetrahydrocannabinols: meaning tetrahydrocannabinols which are naturally contained
257	in a plant of the genus cannabis as well as synthetic equivalents of the substances contained in
258	the plant or in the resinous extractives of cannabis or synthetic substances, derivatives and their
259	isomers with analogous chemical structure and or pharmacological activity such as the following:
260	(i) DELTA-1 CIS OR trans tetrahydrocannabinol and their Optical isomers.
261	(ii) DELTA-6 CIS OR trans tetrahydrocannabinol and their optical isomers.
262	(iii) DELTA-3,4 CIS or their trans tetrahydrocannabinol and their optical isomers.
263	(56) Synthetic Phenethylamines (including their optical, positional, and geometric isomers,
264	salts and salts of isomers, whenever the existence of such salts, isomers, and salts of isomers):
265	(A) 2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine (25I-NBOMe/ 2C-I-
266	NBOMe);
267	(B) 2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine (25C-NBOMe/2C-
268	C-NBOMe);
269	(C) 2-(4-bromo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine (25B-NBOMe/
270	2C-B-NBOMe);
271	(57) Synthetic Opioids (icluding their isomers, esters, ethers, salts and salts of isomers,
272	esters and ethers):
273	(A) N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide (acetyl fentanyl);
274	(B) furanyl fentanyl;
275	(C) 3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methylbenzamide (also known as U-

2//	(D) N-(1-phenethylpiperidin-4-yl)-N-phenylbutyramide, also known as N-(1-
278	phenethylpiperidin-4-yl)-N-phenylbutanamide, (butyryl fentanyl);
279	(E) N-[1-[2-hydroxy-2-(thiophen-2-yl)ethylpiperidin-4-yl]-N-phenylpropionamide, also
280	known as N-[1-[2-hydroxy-2-(2-thienyl)ethyl]-4-piperidinyl]-N-phenylpropanamide, (beta-
281	hydroxythiofentanyl).
282	N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide (acryl fentanyl)
283	N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide (isobutyryl fentanyl)
284	N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide (cyclopropyl fentanyl)
285	2-(2,4-dichlorophenyl)-N-((1S,2S)-2-(dimethylamino)cyclohexyl)-N-methylacetamide
286	(also known as
287	<u>U-48800)</u>
288	Trans-3,4-dichloro-N-[2-(diethylamino)cyclohexyl]-N-methyl-benzamide (also known as
289	<u>U-49900)</u>
290	Trans-3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methyl-benzeneacetamide (also
291	known as
292	<u>U-51754)</u>
293	(58) Opioid Receptor Agonist (including its isomers, esters, ethers, salts, and salts of
294	isomers, esters and ethers):
295	(A) AH-7921 (3,4-dichloro-N- (1dimethylamino)cyclohexylmethyl]benzamide).
296	(B) Naphthoylindoles or any compound containing a 3-(-1- Napthoyl) indole structure with
297	substitution at the nitrogen atom of the indole ring whether or not further substituted in the indole
298	ring to any extent and whether or not substituted in the naphthyl ring to any extent. This shall
299	include the following:
300	(i) JWH 015;
301	(ii) JWH 018;
302	(iii) JWH 019;

303	(iv) JWH 073;
304	(v) JWH 081;
305	(vi) JWH 122;
306	(vii) JWH 200;
307	(viii) JWH 210;
308	(ix) JWH 398;
309	(x) AM 2201;
310	(xi) WIN 55,212.
311	(59) Naphylmethylindoles or any compound containing a 1hindol-3-yl-(1-naphthyl)
312	methane structure with a substition at the nitrogen atom of the indole ring whether or not further
313	substituted in the indole ring to any extent and whether or not substituted in the naphthyl ring to
314	any extent. This shall include, but not be limited to, JWH 175 and JWH 184.
315	(60) Naphthoylpyrroles or any compound containing a 3-(1- Naphthoyl) pyrrole structure
316	with substitution at the nitrogen atom of the pyrrole ring whether or not further substituted in the
317	pyrrole ring to any extent and whether or not substituted in the naphthyl ring to any extent. This
318	shall include, but not be limited to, JWH 147 and JWH 307.
319	(61) Naphthylmethylindenes or any compound containing a Naphthylideneindene
320	structure with substitution at the 3- Position of the indene ring whether or not further substituted
321	in the indene ring to any extent and whether or not substituted in the naphthyl ring to any extent.
322	This shall include, but not be limited to, JWH 176.
323	(62) Phenylacetylindoles or any compound containing a 3- Phenylacetylindole structure
324	with substitution at the nitrogen atom of the indole ring whether or not further substituted in the
325	indole ring to any extent and whether or not substituted in the phenyl ring to any extent. This shall
326	include the following:
327	(A) RCS-8, SR-18 OR BTM-8;
328	(B) JWH 250;

329	(C) JWH 203;	
330	(D) JWH 251;	
331	(E) JWH 302.	
332	(63) Cyclohexylphenols or any compound containing a 2-(3- hydroxycyclohexyl) pheno	
333	structure with a substitution at the 5-position of the phenolic ring whether or not substituted in the	
334	cyclohexyl ring to any extent. This shall include the following:	
335	(A) CP 47,497 and its homologues and analogs;	
336	(B) Cannabicyclohexanol;	
337	(C) CP 55,940.	
338	(64) Benzoylindoles or any compound containing a 3-(benzoyl) indole structure with	
339	substitution at the nitrogren atom of the indole ring whether or not further substituted in the indo	
340	ring to any extent and whether or not substituted in the phenyl ring to any extent. This shall includ	
341	the following:	
342	(A) AM 694;	
343	(B) Pravadoline WIN 48,098;	
344	(C) RCS 4;	
345	(D) AM 679.	
346	(62) [2,3-dihydro-5 methyl-3-(4-morpholinylmethyl)pyrrolo [1,2,3-DE]-1, 4-benzoxazin-6	
347	YL]-1-napthalenymethanone. This shall include WIN 55,212-2.	
348	(65) Dibenzopyrans or any compound containing a 11-hydroxydelta 8	
349	tetrahydrocannabinol structure with substitution on the 3-pentyl group. This shall include HU-210	
350	HU-211, JWH 051 and JWH 133.	
351	(66) Adamantoylindoles or any compound containing a 3-(-1- Adamantoyl) indole structure	
352	with substitution at the nitrogen atom of the indole ring whether or not further substituted in the	
353	adamantoyl ring system to any extent. This shall include AM1248.	

354	(67) Tetramethylcyclopropylindoles or any compound containing A 3-
355	tetramethylcyclopropylindole structure with substitution at the nitrogen atom of the indole ring
356	whether or not further substituted in the indole ring to any extent and whether or not substituted
357	in the tetramethylcyclopropyl ring to any extent. This shall include UR-144 and XLR-11.
358	(68) N-(1-Adamantyl)-1-pentyl-1h-indazole-3-carboxamide. This shall include AKB48.
359	(69) Any other synthetic chemical compound that is a Cannabinoid receptor type 1 agonist
360	as demonstrated by binding studies and functional assays that is not listed in Schedules II, III, IV
361	and V, not federal Food and Drug Administration approved drug or used within legitimate,
362	approved medical research. Since nomenclature of these substances is not internationally
363	standardized, any immediate precursor or immediate derivative of these substances shall be
364	covered.
365	(70) Tryptamines:
366	(A) 5- methoxy- N- methyl-N-isopropyltryptamine (5-MeO-MiPT)
367	(B) 4-hydroxy-N,N-diisopropyltryptamine (4-HO-DiPT)
368	(C) 4-hydroxy-N-methyl-N-isopropyltryptamine (4-HO-MiPT)
369	(D) 4-hydroxy-N-methyl-N-ethyltryptamine (4-HO-MET)
370	(E) 4-acetoxy-N,N-diisopropyltryptamine (4-AcO-DiPT)
371	(F) 5-methoxy-α-methyltryptamine (5-MeO-AMT)
372	(G) 4-methoxy-N,N-Dimethyltryptamine (4-MeO-DMT)
373	(H) 4-hydroxy Diethyltryptamine (4-HO-DET)
374	(I) 5- methoxy- N,N- diallyltryptamine (5-MeO-DALT)
375	(J) 4-acetoxy-N,N-Dimethyltryptamine (4-AcO DMT)
376	(K) 4-hydroxy Diethyltryptamine (4-HO-DET)

(e) Depressants. — Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances having a depressant effect on the central nervous system, including its salts, isomers

380	and salts of isomers whenever the existence of such salts, isomers and salts of isomers is
381	possible within the specific chemical designation:
382	(1) Mecloqualone;
383	(2) Methaqualone.
384	(f) Stimulants. — Unless specifically excepted or unless listed in another schedule, any
385	material, compound, mixture, or preparation which contains any quantity of the following
386	substances having a stimulant effect on the central nervous system, including its salts, isomers
387	and salts of isomers:
388	(1) Aminorex; some other names: aminoxaphen; 2-amino-5- phenyl-2-oxazoline; or 4,5-
389	dihydro-5-phenyl-2-oxazolamine;
390	(2) Cathinone; some trade or other names: 2-amino-1-phenyl-1- propanone, alpha-
391	aminopropiophenone, 2-aminopropiophenone and norephedrone;
392	(3) Fenethylline;
393	(4) Methcathinone, its immediate precursors and immediate derivatives, its salts, optical
394	isomers and salts of optical isomers; some other names: (2-(methylamino)-propiophenone; alpha-
395	(methylamino)propiophenone; 2-(methylamino)-1-phenylpropan-1- one; alpha—
396	methylaminopropiophenone; monomethylpropion; 3,4-methylenedioxypyrovalerone and/or
397	mephedrone;3,4-methylenedioxypyrovalerone (MPVD); ephedrone; N-methylcathinone;
398	methylcathinone; AL-464; AL-422; AL- 463 and UR1432;
399	(5) (+-) cis-4-methylaminorex; ((+-)cis-4,5-dihydro-4-methyl- 5-phenyl-2-oxazolamine);
400	(6) N-ethylamphetamine;
401	(7) N,N-dimethylamphetemine; also known as N,N-alpha- trimethyl-benzeneethanamine
402	N,N-alpha-trimethylphenethylamine.
403	(8) Alpha-pyrrolidinopentiophenone, also known as alpha-PVP, optical isomers, salts and
404	salts of isomers.
405	(9) Substituted amphetamines:

406	(A) 2-Fluoroamphetamine
407	(B) 3-Fluoroamphetamine
408	(C) 4-Fluoroamphetamine
409	(D) 2-chloroamphetamine
410	(E) 3-chloroamphetamine
411	(F) 4-chloroamphetamine
412	(G) 2-Fluoromethamphetamine
413	(H) 3-Fluoromethamphetamine
414	(I) 4-Fluoromethamphetamine
415	(J) 4-chloromethamphetamine
416	(g) Temporary listing of substances subject to emergency scheduling. Any material,
417	compound, mixture or preparation which contains any quantity of the following substances:
418	(1) N-[1-benzyl-4-piperidyl]-N-phenylpropanamide (benzylfentanyl), its optical isomers,
419	salts, and salts of isomers.
420	(2) N-[1-(2-thienyl)methyl-4-piperidyl]-N-phenylpropanamide (thenylfentanyl), its optical
421	isomers, salts and salts of isomers.
422	(3) N-benzylpiperazine, also known as BZP.
423	(4) Cyclopentyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-
424	phenylcyclopentanecarboxamide);
425	(5) 4-fluorobutyryl fentanyl (N-(4-fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]-
426	butyramide);
427	(6) Isobutyryl fentanyl (2-methyl-N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-
428	propanamide);
429	(7) Methoxyacetyl fentanyl (2-methoxy-N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-
430	acetamide);

431	(8) 3-methylbutyryl fentanyl (N-[3-methyl-1-(2-phenylethyl)piperidin-4-yl]-N-
432	phenylbutyramide);
433	(9) 4-methoxybutyryl fentanyl (N-(4-methoxyphenyl)-N-(1-phenethylpiperidin-4-
434	yl)butyramide);
435	(10) Ocfentanil (N-(2-fluorophenyl)-2-methoxy-N-[1-(2-phenylethyl)piperidin-4-yl]-
436	acetamide);
437	(11) Tetrahydrofuran fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenyltetrahydrofuran-2-
438	carboxamide):
439	(12) Valeryl fentanyl (N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]pentanamide).
440	(h) The following controlled substances are included in Schedule I:
441	(1) Synthetic Cathinones or any compound, except bupropion or compounds listed under
442	a different schedule, or compounds used within legitimate and approved medical research,
443	structurally derived from 2- Aminopropan-1-one by substitution at the 1-position with Monocyclic
444	or fused polycyclic ring systems, whether or not the compound is further modified in any of the
445	following ways:
446	(A) By substitution in the ring system to any extent with Alkyl, alkylenedioxy, alkoxy,
447	haloalkyl, hydroxyl or halide Substituents whether or not further substituted in the ring system by
448	one or more other univalent substituents.
449	(B) By substitution at the 3-position with an acyclic alkyl substituent.
450	(C) By substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl or
451	methoxybenzyl groups.
452	(D) By inclusion of the 2-amino nitrogen atom in a cyclic structure.
453	(2) Any other synthetic chemical compound that is a Cannabinoid receptor type 1 agonist
454	as demonstrated by binding studies and functional assays that is not listed in Schedules II, III, IV
455	and V, not federal Food and Drug Administration approved drug or used within legitimate,
456	approved medical research.

1

2

3

4

5

6

7

8

9

10

11

12

13

§60A-2-206. Schedule II.

(a) Schedule II consists of the drugs and other substances, by whatever official name,
common or usual name, chemical name or brand name designated, listed in this section. <u>Unless</u>
specifically excepted or unless listed in another schedule, any material, compound, mixture, or
preparation which contains any quantity of the following substances, including their isomers,
esters, ethers, salts and salts of isomers, esters and ethers, whenever the existence of such
isomers, esters, ethers, and salts is possible within the specific chemical designation.

- (b) Substances, vegetable origin or chemical synthesis. Unless specifically excepted or unless listed in another schedule, any of the following substances whether produced directly or indirectly by extraction from substances of vegetable origin, or independently by means of chemical synthesis, or by a combination of extraction and chemical synthesis:
- (1) Opium and opiate, and any salt, compound, derivative or preparation of opium or opiate excluding apomorphine, thebaine-derived butorphanol, dextrorphan, nalbuphine, nalmefene, naloxone and naltrexone, and their respective salts, but including the following:
- 14 (A) Raw opium;
- 15 (B) Opium extracts;
- 16 (C) Opium fluid;
- 17 (D) Powdered opium;
- 18 (E) Granulated opium;
- 19 (F) Tincture of opium;
- 20 (G) Codeine;
- 21 (H) Dihydroetorphine;
- 22 (I) Ethylmorphine;
- 23 (J) Etorphine hydrochloride;
- 24 (K) Hydrocodone;
- 25 (L) Hydromorphone;

26	(M) Metopon;
27	(N) Morphine;
28	(O) Oripavine;
29	(P) Oxycodone;
30	(Q) Oxymorphone; and
31	(R) Thebaine;
32	(2) Any salt, compound, derivative or preparation thereof which is chemically equivalent
33	or identical with any of the substances referred to in subdivision (1) of this subsection, except that
34	these substances shall not include the isoquinoline alkaloids of opium;
35	(3) Opium poppy and poppy straw;
36	(4) Coca leaves and any salt, compound, derivative or preparation of coca leaves
37	(including cocaine and ecgonine and their salts, isomers, derivatives and salts of isomers and
38	derivatives), and any salt, compound, derivative or preparation thereof which is chemically
39	equivalent or identical with any of these substances, except that the substances shall not include
40	decocainized coca leaves or extractions of coca leaves, which extractions do not contain cocaine
41	or ecgonine;
42	(5) Concentrate of poppy straw (the crude extract of poppy straw in either liquid, solid or
43	powder form which contains the phenanthrene alkaloids of the opium poppy).
44	(c) Opiates. — Unless specifically excepted or unless in another schedule, any of the
45	following opiates, including its isomers, esters, ethers, salts and salts of isomers, esters and
46	ethers whenever the existence of such isomers, esters, ethers and salts is possible within the
47	specific chemical designation, dextrorphan and levopropoxyphene excepted:
48	(1) Alfentanil;
49	(2) Alphaprodine;
50	(3) Anileridine;
51	(4) Bezitramide;

```
52
             (5) Bulk dextropropoxyphene (nondosage forms):
53
             (6) Carfentanil;
54
             (7) Dihydrocodeine;
55
             (8) Diphenoxylate;
56
             (9) Fentanyl;
             (10) Isomethadone;
57
58
             (11) Levo-alphacetylmethadol;
                                              some
                                                      other
                                                              names:
                                                                        levo-alpha-acetylmethadol,
59
      levomethadyl acetate, LAAM;
60
             (12) Levomethorphan;
61
             (13) Levorphanol;
62
             (14) Metazocine;
63
             (15) Methadone;
             (16) Methadone-Intermediate, 4-cyano-2-dimethylamino-4, 4-diphenyl butane:
64
65
             (17) Moramide-Intermediate, 2-methyl-3-morpholino-1,
             1-diphenylpropane-carboxylic acid;
66
67
             (18) Pethidine: (meperidine):
68
             (19) Pethidine-Intermediate-A, 4-cyano-1-methyl-4- phenylpiperidine;
69
             (20) Pethidine-Intermediate-B, ethyl-4-phenylpiperidine-4-carboxylate;
             (21) Pethidine-Intermediate-C, 1-methyl-4-phenylpiperidine-4-carboxylic acid;
70
71
             (22) Phenazocine;
72
             (23) Piminodine;
73
             (24) Racemethorphan;
74
             (25) Racemorphan;
75
             (26) Remifentanil;
76
             (27) Sufentanil;
             (28) Tapentadol
77
```

78	(29) Thiafentanil (4-(methoxycarbonyl)-4-(N-phenmethoxyacetamido)-1-2-
79	(thienyl)ethylpiperidine), including its isomers, esters, ethers, salts and salts of isomers, esters
80	and ethers.
81	(d) Stimulants. — Unless specifically excepted or unless listed in another schedule, any
82	material, compound, mixture or preparation which contains any quantity of the following
83	substances having a stimulant effect on the central nervous system:
84	(1) Amphetamine, its salts, optical isomers and salts of its optical isomers;
85	(2) Methamphetamine, its salts, isomers and salts of its isomers;
86	(3) Methylphenidate;
87	(4) Phenmetrazine and its salts; and
88	(5) Lisdexamfetamine.
89	(e) Depressants. — Unless specifically excepted or unless listed in another schedule, any
90	material, compound, mixture or preparation which contains any quantity of the following
91	substances having a depressant effect on the central nervous system, including its salts, isomers
92	and salts of isomers whenever the existence of such salts, isomers and salts of isomers is
93	possible within the specific chemical designation:
94	(1) Amobarbital;
95	(2) Glutethimide;
96	(3) Pentobarbital;
97	(4) Phencyclidine;
98	(5) Secobarbital.
99	(f) Hallucinogenic substances:
100	Dronabinol [(-)-delta-9-trans tetrahydrocannabinol] if in an FDA approved oral solution
101	Nabilone: [Another name for nabilone: (+-)-trans-3-(1, 1-dimethylheptyl)-6, 6a, 7, 8, 10,
102	10a-hexahydro-1-hydroxy-6, 6-dimethyl-9H-dibenzo [b,d] pyran-9-one].

103	(g) Immediate precursors. — Unless specifically excepted or unless listed in anothe
104	schedule, any material, compound, mixture, or preparation which contains any quantity of the
105	following substances:
106	(1) Immediate precursor to amphetamine and methamphetamine:
107	(A) Phenylacetone;
108	(B) Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methy
109	benzyl ketone;
110	(2) Immediate precursors to phencyclidine (PCP):
111	(A) 1-phenylcyclohexylamine; and
112	(B) 1-piperidinocyclohexanecarbonitrile (PCC).
113	(3) Immediate precursor to fentanyl:
114	4-anilino-N-phenethyl-4-piperidine (ANPP).
	§60A-2-210. Schedule IV.
1	(a) Schedule IV shall consist of the drugs and other substances, by whatever official name
2	common or usual name, chemical name, or brand name designated, listed in this section. <u>Unless</u>
3	specifically excepted, or unless listed in another schedule, any material, compound, mixture o
4	preparation which contains any quantity of the following substances, including their isomers
5	esters, ethers, salts and salts of isomers, esters and ethers, whenever the existence of such
6	isomers, esters, ethers, and salts is possible within the specific chemical designation.
7	(b) Narcotic drugs. — Unless specifically excepted or unless listed in another schedule
8	any material, compound, mixture or preparation containing any of the following narcotic drugs, o
9	their salts calculated as the free anhydrous base or alkaloid, in limited quantities as set forth
10	below:
11	(1) Not more than 1 milligram of difenoxin and not less than 25 micrograms of atropine
12	sulfate per dosage unit:

13	(2) Dextropropoxyphene (alpha-(+)-4-dimethylamino-1,2-diphenyl-3-methyl-2-
14	propionoxybutane).
15	(c) Depressants. — Unless specifically excepted or unless listed in another schedule, any
16	material, compound, mixture or preparation which contains any quantity of the following
17	substances, including its salts, isomers and salts of isomers whenever the existence of such salts,
18	isomers and salts of isomers is possible within the specific chemical designation:
19	(1) Alprazolam;
20	(2) Barbital;
21	(3) Bromazepam;
22	(4) Camazepam;
23	(5) Carisoprodol;
24	(6) Chloral betaine;
25	(7) Chloral hydrate;
26	(8) Chlordiazepoxide;
27	(9) Clobazam;
28	(10) Clonazepam;
29	(11) Clorazepate;
30	(12) Clotiazepam;
31	(13) Cloxazolam;
32	(14) Delorazepam;
33	(15) Diazepam;
34	(16) Dichloralphenazone;
35	(17) Estazolam;
36	(18) Ethchlorvynol;
37	(19) Ethinamate;
38	(20) Ethyl loflazepate;

39	(21) Fludiazepam;
40	(22) Flunitrazepam;
41	(23) Flurazepam;
42	(24) Fospropofol;
43	(25) Halazepam;
44	(26) Haloxazolam;
45	(27) Ketazolam;
46	(28) Loprazolam;
47	(29) Lorazepam;
48	(30) Lormetazepam;
49	(31) Mebutamate;
50	(32) Medazepam;
51	(33) Meprobamate;
52	(34) Methohexital;
53	(35) Methylphenobarbital (mephobarbital);
54	(36) Midazolam;
55	(37) Nimetazepam;
56	(38) Nitrazepam;
57	(39) Nordiazepam;
58	(40) Oxazepam;
59	(41) Oxazolam;
60	(42) Paraldehyde;
61	(43) Petrichloral;
62	(44) Phenobarbital;
63	(45) Pinazepam;
64	(46) Prazepam;

```
65
             (47) Quazepam;
66
             (48) Temazepam;
67
             (49) Tetrazepam;
68
             (50) Triazolam;
69
             (51) Zaleplon;
70
             (52) Zolpidem;
71
             (53) Zopiclone'
72
             (54) Suvorexant ([(7R)-4-(5-chloro-1,3-benzoxazol-2-yl)-7-methyl-1,4-diazepan-1-yl] [5-
73
      methyl-2-(2H-1,2,3-triazol-2-yl)phenyl]methanone).
74
             (d) Any material, compound, mixture or preparation which contains any quantity of the
      following substance, including its salts, isomers (whether optical, position or geometric) and salts
75
76
      of such isomers whenever the existence of such salts, isomers and salts of isomers is possible:
77
      Fenfluramine and Dexfenfluramine.
78
             (e) Stimulants. — Unless specifically excepted or unless listed in another schedule, any
79
      material, compound, mixture or preparation which contains any quantity of the following
80
      substances having a stimulant effect on the central nervous system, including its salts, isomers
81
      and salts of isomers:
82
             (1) Cathine ((+)-norpseudoephedrine);
83
             (2) Diethylpropion;
84
             (3) Fencamfamin;
85
             (4) Fenproporex;
86
             (5) Mazindol;
87
             (6) Mefenorex;
88
             (7) Modafinil;
89
             (8) Pemoline (including organometallic complexes and chelates thereof);
90
             (9) Phentermine;
```

91	(10) Pipradrol;
92	(11) Sibutramine;
93	(12) SPA ((-)-1-dimethylamino-1,2-diphenylethane);
94	(13) Eluxadoline (5-[[[(2S)-2-amino-3-[4-aminocarbonyl)-2,6-dimethylphenyl]-1-oxopropy
95	[(1S)-1-(4-phenyl-1H-imidazol-2-yl)ethyl]amino]methyl]-2-methoxybenzoic acid);
96	(f) Other substances. — Unless specifically excepted or unless listed in another schedule
97	any material, compound, mixture or preparation which contains any quantity of the following
98	substances, including its salts:

- (1) Pentazocine;
- 100 (2) Butorphanol.

101 (3) Tramadol (2-[(dimethylamino)methyl]-1-(3-methoxyphenyl) cyclohexanol);

Amyl nitrite, butyl nitrite, isobutyl nitrite and the other organic nitrites are controlled substances and no product containing these compounds as a significant component shall be possessed, bought or sold other than pursuant to a bona fide prescription or for industrial or manufacturing purposes.

§60A-2-212. Schedule V.

- (a) Schedule V shall consist of the drugs and other substances, by whatever official name, common or usual name, chemical name, or brand name designated, listed in this section. <u>Unless specifically excepted or unless listed in another schedule, any material, compound, mixture or preparation which contains any quantity of the following substances, including their isomers, esters, ethers, salts and salts of isomers, esters and ethers, whenever the existence of such isomers, esters, ethers, and salts is possible within the specific chemical designation.</u>
- (b) Narcotic drugs containing nonnarcotic active medicinal ingredients. Any compound, mixture or preparation containing any of the following narcotic drugs or their salts calculated as the free anhydrous base or alkaloid in limited quantities as set forth below, which shall include one or more nonnarcotic active medicinal ingredients in sufficient proportion to confer upon the

36

11	compound, mixture or preparation valuable medicinal qualities other than those possessed by the
12	narcotic drug alone:
13	(1) Not more than 200 milligrams of codeine per 100 milliliters or per 100 grams;
14	(2) Not more than 100 milligrams of dihydrocodeine per 100 milliliters or per 100 grams;
15	(3) Not more than 100 milligrams of ethylmorphine per 100 milliliters or per 100 grams;
16	(4) Not more than 2.5 milligrams of diphenoxylate and not less than 25 micrograms of
17	atropine sulfate per dosage unit;
18	(5) Not more than 100 milligrams of opium per 100 milliliters or per 100 grams;
19	(6) Not more than 0.5 milligrams of difenoxin and not less than 25 micrograms of atropine
20	sulfate per dosage unit.
21	(c) Stimulants: — Unless specifically exempted or excluded or unless listed in another
22	schedule, any material, compound, mixture or preparation which contains any quantity of the
23	following substances having a stimulant effect on the central nervous system, including its salts,
24	isomers and salts of isomers:
25	(1) Pyrovalerone.
26	(d) Any compound, mixture or preparation containing as its single active ingredient
27	ephedrine, pseudoephedrine or phenylpropanolamine, their salts or optical isomers, or salts of
28	optical isomers except products which are for pediatric use primarily intended for administration
29	to children under the age of 12: Provided, That neither the offenses set forth in section four
30	hundred one, article four of this chapter, nor the penalties therein, shall be applicable to ephedrine,
31	pseudoephedrine or phenylpropanolamine which shall be subject to the provisions of article ten
32	of this chapter.
33	(e) Depressants: — Unless specifically exempted or excluded or unless listed in another
34	schedule, any material, compound, mixture or preparation which contains any quantity of the
35	following substances having a depressant effect on the central nervous system, including its salts:

(1) Ezogabine [N-[2-amino-4-94-fluorobenzylamino)-phenyl]-carbamic acid ethyl ester];

37	(2) Lacosamide [(R)-2-acetoamido- N -benzyl-3-methoxy-propionamide];
38	(3) Pregabalin [(S)-3-(aminomethyl)-5-methylhexanoic acid]; and
39	(4) Brivaracetam ((2S)-2-[(4R)-2-oxo-4-propylpyrrolidin-1-yl] butanamide) (also referred to
40	as BRV; UCB-34714; Briviact). including its salts.
41	(f) Other substances:
42	<u>Gabapentin</u>
43	Pregabalin